DEKTITE PREMIUM

Dektite premium is a versatile flashing designed to enable any pipe flashing operation.

- · Suitable for longrun steel roofing
- EPDM temperature range: -50°C to 115°C and up to 150°C intermittently
- Silicone temperature range: -60°C to 200°C and up to 250°C intermittently
- · If flashing square penetrations, add 30% and trim to suit
- Suitable for flashing pipes that penetrate longrun steel wall claddings




Code: Black EPDM	Code: Grey EPDM	Code: Red Silicone	Pipe OD (mm)	Base (mm)	Roof Pitch
DFE10MB	DFE10MG		0-20	71 x 71	Up to 60°
DFE100B	DFE100G		0-35	101 x 101	
DFE101B	DFE101G		5-55	139 x 139	Up to 45°
DFE102BA	DFE102GA	DFE202REA	50-70	181 x 181	
DFE103B	DFE103G	DFE203RE	5-127	220 x 220	
DFE104B	DFE104G	DFE204RE	75-175	280 x 280	
DFE105B	DFE105G	DFE205RE	100-200	308 x 308	
DFE106B	DFE106G	DFE206RE	125-230	363 x 363	
DFE107B	DFE107G	DFE207RE	150-300	456 x 456	
DFE108B	DFE108G	DFE208RE	170-355	496 x 496	
DFE109B	DFE109G	DFE209RE	230-508	681 x 681	


Depending on penetration size, roofing profile and pitch, additional flashings may be required for New Zealand building code requirements. See pg 34.

DEKTITE PREMIUM (CONT.)


Installation instructions




Trim the cone to suit pipe size using sharp tin snips.



Slide down the pipe using water as a lubricant.




Apply a neutral cure 100% silicone sealant to the underside of the Dektite




Press base to roof profile by hand.

Don't fully extend, this allows for vibration.



For more effective drainage, fit the Dektite on the diamond or bias.



Fasten using self drilling washered screws or sealed rivets.

Fit fasteners progressively outward in opposing pairs.

Flashing Square Pipes

To flash square penetrations or stanchions, add 30% to the penetration width and trim the cone to suit that measurement.

- 100mm -



100mm Square pipe = $100 \times 1.3 = 130$ mm Cut the Dektite to suit 130mm pipe size to fit the square pipe

Depending on penetration size, roofing profile and pitch, additional flashings may be required for New Zealand building code requirements. See pg 34.

Page 7 version: 03.09.24